

Front Doors RD65

www.ryternaentry.com

RYTERNA

25 years delivering doors with a personal touch!









RYTERNA Front Entrance Doors

Entrance door is a key element of house facade. Every day You see, touch and use it. Door must be safe, warm, maintenance free and match the exterior.

We offer wide range of made to measure and standard size doors with numerous design choices.

Latest technologies combined with perfect design results outstanding appearance and performance.



RD65 designs	6
Features	23
Locks	26
Handles	28
Accessories	29
Finger scanners	30
Colours	31
Side and top elements	32
RD65 design list	34







Design 120

Outside colour White RAL9016 matt

Handle H45R 800mm stainless steel

Escutcheon ESC-2

Windows **P4A Safety triple glazing**

Glazing **Tinted**

Safety resistance class RC2



Design 115 Outside colour **Grey RAL7016 matt** Handle H45R 800mm stainless steel

Escutcheon ESC-2
Windows P4A Safety triple glazing

Glazing **Tinted**

Safety resistance class RC2

Ryterna Entry Designs

Design 110 Model RD65 Outside colour Old Oak

Handle **HLA aluminium handle** Windows **P4A Safety triple glazing**

Glazing Matt Safety resistance class RC2





Design 110 Outside colour Golden Oak

Handle H45R 500mm stainless steel

Escutcheon ESC-2

Windows P4A Safety triple glazing

Glazing Matt Safety resistance class RC2











Design 109 Outside colour Grey RAL7016 anthracite Handle H45R 500mm stainless steel
Escutcheon ESC-2 Windows P4A Safety triple glazing
Glazing Etched effect Safety resistance class RC2

Design 109

Outside colour Black RAL9005 matt

Handle H45R 500mm stainless stee

Escutcheon ESC-2
Windows P4A Safety triple glazing

Glazing Matt

Safety resistance class RC2





Design 112 Outside colour RAL7030 matt Handle H45R 800mm stainless steel Escutcheon ESC-1 Windows P4A Safety triple glazing
Glazing Etched effect Safety resistance class RC2






















RD65 frame is made of composite aluminium profiles with 24 mm thick thermal break. Leaf is 65 mm thick with double steel skin filled with freon free PU foam.

All windows and sidelights are triple glazed with safety glass. You can choose clear, obscure, opaque or tinted glazing options. Custom glazing available on request.

Ryterna entrance doors are made to resist the elements and certified by IFT testing institute in Rosenheim, Germany.





Thermal transmittance U value

Safety resistance class EN 12519

Wind resistance class EN 12207:199-11

Rain resistance class FN 12208:199-11

Sound reduction EN 717-1:2013














0.73 W/m²K*

RC₂

4Δ

-30 Db

Features




- Polyurethane foam
- 2 Cold rolled steel
- Hot dip galvanisation
- 4 Chemical treatment
- 5 Powder coated



Door Seals

Three contour sealing ensures perfect insulation.

Door has three seal contours: one on the frame and two on the leaf.









Door Hinges

Robust Schuring hinges are made to serve.


High quality alloy and powder coating, patented ball-bearing system will guarantee durability and performance.

3D adjustable feature allow to get perfect sealing after decades of service.



Threshold

Heavy duty durable aluminium and PVC composite threshold profile perfectly seals bottom of the door protecting your home from drafts, moisture, dust and insects.






Dimensions

Threshold height is 12 mm on the inside and 22.5 mm on the outside.



Add-on profiles

Add on bottom profiles. 15 mm and 30 mm height. Can be combined in series... 15mm+30mm+30mm.....





Key cylinders (safety classes A,B,C)

WILKA key cylinders are famous for their security and reliability. You can chose one of three safety classes: A,B or C the highest.

WILKA cylinder comes with 5 keys.

Additional keys are available on request



Locking systems



Locks

KFV locks are made from high-quality materials with precise workmanship.

Hi-tech mechanics ensure reliable, precise and easy operation. Lots of options starting from the simplest 3 point lock up to sophisticated 5 point lock.





3 points multiple lock



Main lock deadbolt and hook bolts operated by the key.



5 points multiple lock



Two round latch bolts lock the leaf on closure automatically and opens by the key. Deadbolt and hook bolts operated by the key.



Day & Night L3P+D&N

3 point multi-point lock with option to temporary disable self-locking. Main deadbolt and hook bolts operated by the key.



Electric 1 L3P+D&N+EM

3 point multi-point lock with electric latch and option to temporary disable self-locking. Main lock deadbolt and hook bolts operated by the key.



Electric 2 L5PMA

5 point multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. If deadbolt is engaged automatic unlocking is disabled. All latches open by electric drive when turning the key or pressing lever handle. Lock can be connected to finger-scanner or keypad (optional)



Electric 3 L5PA


5 point multi-point lock with all latches and deadbolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional)



Electric 4 L5P + panie function

5 point multi-point lock.

Round latch bolts and hook bolts lock the leaf on closure automatically. Deadbolt is locked by the key. All latches and deadbolt are unlocked by pressing inside handle.



Handles



Stainless steel handles

M45R-500 Ø 30 mm H 500 mm 45°

H45R 300 Ø 30 mm H 800 mm 45°

H45R-1200 Ø 30 mm H 1200 mm 45°

*Outside only

H45S-500 30x20 mm H 500 mm 45°

H45S-300 30x20 mm H 800 mm 45°

H458-1200 30x20 mm H 1200 mm 45°





HLS 02

HLS 03









*In pairs only the rest can be fitted inside only or in pairs



Escutcheons

You can choose from two stainless steel escutcheons.



Keypads

EKEY keypads are secure and easy to operate. Can contain up to 99 entries. Can be installed on door leaf or on wall.





Ekey Black









Finger scanners



Ekey Arte FSC1

Thanks to its compact design Arte finger scanner can be integrated discreetly into unusual door designs and fittings.



Ekey Integra FSC2

The finger scanner is mounted in the wall using stainless-steel accessories (in-wall set).

The finger scanner will only operate when connected to an ekey control panel.

Both finger-scanners can be controlled by app. So you can open the door with your smart-phone and enjoy all the benefits of operation via app.





Sommer finger scanner

Secure and easy to operate Sommer fingerscanner will bring more convenience in to your everyday life.

By entering your own 3 fingerprints you can easily operate entrance, garage doors and gate. Just with three touches you can close gate, garage door and open entrance door or vice versa.



Sommer remote handset RMITT

Sommer finger-scanner and remote handset are compatible with each other, 4 channel handset can operate 4 different objects like entrance or garage door, gates or yard lights.

Secure rolling code transmitter signal can not be copied. Just one beautifully crafted ergonomic handset can replace a bunch of keys.





Standard RAL colours

Inside:

RAL 9016 gloss 20%

Outside:

RAL 9016 gloss 20% RAL 7016 gloss 20%



Others RAL colours & wood images

Ryterna colour palette Golden Oak

Old Oak

Structure painting available upon request



RAL 9016



Golden Oak



RAL 7016




Old Oak



Ryterna RAL colour palette


Side and top elements




For design possibilities and price consult manufacturer.



RD65 standard designs*





^{*} you can modify existing

